

L Number	Hits	Search Text	DB	Time stamp
1	4775	((717/156,143,104-117,132-140,154-163) or (716/1) or (707/103R)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 17:08
-	1	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (abstract adj2 type)).ab. or (compiler same (abstract adj2 type)).clm. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 09:52
-	22	5659753.URPN.	USPAT	2004/03/18 09:18
-	4	("5175856"   "5187789"   "5276881"   "5280617").PN.	USPAT	2004/03/18 09:44
-	37	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:18
-	37	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm. )) not ((@ad<=20001219 or @rlad<=20001219) and ((compiler same (multilanguage or universal)).ab. or (compiler same (multilanguage or universal)).clm. ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:20
-	12	(abstract near3 "data type") and supertype	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 09:55
-	2	(constant adj2 (class and interface)) and descriptor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 09:58
-	6	(constant adj2 (class and interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:18
-	13	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (multilanguage or universal)).ab. or (compiler same (multilanguage or universal)).clm. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:12
-	29	(class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:14
-	81	(object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:28
-	55710	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:31
-	795	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:21

-	37	((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:46
-	2	(((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass)) and ((@ad<=20001219 or @rlad<=20001219) and ((compiler same (neutral or (platform near2 independent))).ab. or (compiler same (neutral or (platform near2 independent))).clm. ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:21
-	544	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:15
-	526	(((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass)) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:21
-	9	((class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)) or ((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:22
-	9	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:29
-	74	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and ((object-oriented or compiler).ab. and (class same interface) and (type near4 relationship))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:29
-	17	((object-oriented or compiler).ab. and (class same interface) and (type near4 (dependency or interdependency or interrelation\$4 or relationship)))) and ((object-oriented or compiler).ab. and (class same interface) and (type near4 relationship)))) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 11:30
-	9	((class near2 (defin\$3 or describ\$4)) near6 ((physical or hardware or computer or architecture) adj2 object)) and ((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:12
-	2	("5313635"   "5381534").PN.	USPAT	2004/03/18 11:35
-	2	5761512.URPN.	USPAT	2004/03/18 11:37
-	182	(ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:13

-	6	((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)) and ((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:13
-	39	((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and (supertype)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:16
-	1	((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)) and ((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and (supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:16
-	6	("5163016"   "5168441"   "5513122"   "5522063"   "5568396"   "5568636").PN.	USPAT	2004/03/18 12:17
-	7	5854929.URPN.	USPAT	2004/03/18 12:29
-	22	5659753.URPN.	USPAT	2004/03/18 12:27
-	3	5659753.URPN. and (class and ((abstract adj2 type) or supertype))	USPAT	2004/03/18 12:31
-	1	5854929.URPN. and (class and ((abstract adj2 type) or supertype))	USPAT	2004/03/18 12:31
-	8	6477683.URPN.	USPAT	2004/03/18 12:31
-	10	("5450586"   "5535331"   "5748875"   "5819050"   "5854929"   "5870588"   "5999734"   "6006022"   "6182206"   "6195593").PN.	USPAT	2004/03/18 12:32
-	6	("5163016"   "5168441"   "5513122"   "5522063"   "5568396"   "5568636").PN.	USPAT	2004/03/18 12:36
-	25	5313635.URPN.	USPAT	2004/03/18 12:36
-	7	("5355491"   "5488714"   "5854929"   "5918035"   "6226776"   "6292938"   "6463582").PN.	USPAT	2004/03/18 12:41
-	135	(@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:55
-	9	((@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (class and ((abstract adj2 type) or (generic adj (class or defin\$6))) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:53
-	16	((@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (retargetable and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:05
-	1	((@ad<=20001219 or @rlad<=20001219) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))) and (retargetable and compiler) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:47
-	6	(compiler same (data adj2 type)) and (constant adj2 (class or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:58
-	5	(@ad<=20001219 or @rlad<=20001219) and ((compiler same (data adj2 type)) and (constant adj2 (class or interface)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:56

-	1	(compiler same (data adj2 type)) and ("constant interface")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 12:59
-	22	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$).did.) and (@ad<=20001219 or @rlad<=20001219) 2 ((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$).did.) and (@ad<=20001219 or @rlad<=20001219)) and supertype 2 Praet.in. and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:46  2004/03/18 13:01
-	2	Praet.in. and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:10
-	1	Chen.in. and object-oriented and "constant pool"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:14
-	3	Yellin.in. and constant and cross-compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:43
-	6	(((((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or superclass)) and (((@ad<=20001219 or @rlad<=20001219) and 717/\$ or 714/\$) and ((abstract adj2 type) or supertype))) and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler)) 9 (nML and compiler) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB  USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:45  2004/03/18 14:21
-	4	((nML and compiler) and (@ad<=20001219 or @rlad<=20001219)) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04
-	1	supertype and ((ADL or ISDL or SLED or Mimola or HDL or nML) and (compiler near4 compiler))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 13:48
-	1279	object-oriented and (type near3 (relationship or hierarchy or dependency or tree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20

-	143	(object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 14:20
-	44	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:47
-	26	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype)) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:24
-	21	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype)) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4 and (type near3 ( tree or hierarchy or interrelationship or relationship or association))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:46
-	21	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype)) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4 and (type near3 ( tree or hierarchy or interrelationship or relationship or association))) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 15:47
-	14	((object-oriented and (type near3 (relationship or hierarchy or dependency or tree))) and ((parent or super or sub) adj2 type)) and (class and ((abstract adj2 type) or supertype)) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4 and (type near3 ( tree or hierarchy or interrelationship or relationship or association))) and (supertype or IDL or metadata)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:03
-	14	nML and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:08
-	0	Fauth.in. and nML and processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:15
-	1	object-oriented and nML and retargetable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:17
-	8	class and nML and retargetable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:19
-	5	(class and nML and retargetable) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:35

-	19	nML same (object-oriented or class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:35
-	2	(nML same (object-oriented or class)) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04
-	34	(US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.	USPÄT; US-PGPUB	2004/03/18 16:58
-	0	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.) and RTL.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:58
-	7	((US-5659753-\$ or US-6085035-\$ or US-5845121-\$ or US-5280617-\$ or US-5276881-\$ or US-5966702-\$ or US-5428792-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6066181-\$ or US-6263485-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6347388-\$).did. or (US-5488727-\$ or US-5696973-\$ or US-6275976-\$ or US-6298353-\$ or US-6510504-\$).did. or (US-20020073375-\$ or US-20010056522-\$ or US-20040015899-\$).did.) and RTL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 16:59
-	0	RTL.ab. and nML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:00

-	6	RTL and nML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:00
-	448	(abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04
-	160	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:04
-	122	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:06
-	12	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype)) ) and (retargetable and compiler)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:05
-	12	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype)) ) and (retargetable and compiler)) and (class and ((abstract adj2 type) or supertype))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:06
-	1	((abstract adj2 type) and (nML or supertype or IDL or metadata or RTL or MIMOLA) ) and (@ad<=20001219 or @rlad<=20001219) and compil\$4) and (class and ((abstract adj2 type) or supertype)) ) and (retargetable and compiler)) and (class and supertype)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 17:07
-	34	(US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.	USPAT; US-PGPUB	2004/03/19 09:05

-	12	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (abstract adj2 type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:19
-	11	(object-oriented and nML) and (programmable or retargetable or HDL or simulation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 10:20
-	10	((object-oriented and nML) and (programmable or retargetable or HDL or simulation)) and (@ad<=20001219 or @rlad<=20001219)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:27
-	14	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (pointer same object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 11:43
-	4	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (constant adj2 (class or pool or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:07



-	27	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (class and interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:08
-	5	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and (class and interface) and IDL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:43
-	24	((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and library	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 12:50

-	9	(((US-5428792-\$ or US-5659753-\$ or US-5493675-\$ or US-5761512-\$ or US-5381534-\$ or US-5313635-\$ or US-5854929-\$ or US-5168441-\$ or US-6629312-\$ or US-6477683-\$ or US-6370681-\$ or US-6085035-\$ or US-5845121-\$ or US-5937192-\$ or US-5918035-\$ or US-5488714-\$ or US-6597664-\$ or US-6263485-\$ or US-6066181-\$ or US-5966702-\$ or US-6003038-\$ or US-5946489-\$ or US-6530054-\$ or US-6510504-\$ or US-6347388-\$ or US-6298353-\$).did. or (US-6275976-\$ or US-5696973-\$ or US-5488727-\$ or US-5280617-\$ or US-5276881-\$).did. or (US-20040015899-\$ or US-20010056522-\$ or US-20020073375-\$).did.) and library) and (instruction adj set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/19 17:06
---	---	---	---	---------------------